

MALACANANG
RESIDENCE OF THE PRESIDENT
OF THE PHILIPPINES
MANILA

BY THE PRESIDENT OF THE PHILIPPINES

PROCLAMATION NO. 318

ESTABLISHING AS PAN-AS FALLS-HAYIBAN WATERSHED FOREST RESERVE THE PARCELS OF PUBLIC DOMAIN PER B.F. MAP NO. WR-11, SITUATED IN THE CITY OF CALBAYOG AND MUNICIPALITY OF CATARMAN, PROVINCE OF SAMAR, PHILIPPINES.

Upon recommendation of the Director of Forestry, approved by the Secretary of Agriculture and Natural Resources and pursuant to the provisions of Section 1826 of the Revised Administrative Code, as amended by Republic Act No. 5092, I, FERDINAND E. MARCOS, President of the Philippines, do hereby withdraw from entry, sale, settlement or other disposition and establish and proclaim as PAN-AS FALLS-HAYIBAN WATERSHED FOREST RESERVE, to protect and conserve the headwaters of Calbayog City Waterworks, subject to private rights, if any there be, the parcels of public domain located in the City of Calbayog and Municipality of Catarman, Province of Samar, Philippines, under the administration and control of the Director of Forestry who shall have the authority to regulate the use and occupancy of the said forest reservation and the cutting, collection and removal of timber and other forest products therein in accordance with forest laws and regulations.

The aforementioned parcels of public domain are more particularly described as follows:

PARCEL I

Beginning at point marked "1" on Parcel I, B.F. Map No. WR-11, Tangile tree 100 cms. in diameter, on east side of Pilar-Malaga trail on top of Tanacan ridge;

Thence N 29° 50' E., 220 meters to Corner 2, Misc. Sp. tree 40 cms. in diameter, on top of Tanacan ridge;

Thence N 20° 30' W., 480 meters to Corner 3, Bolongeta tree 50 cms. in diameter, on top of Tanaoan ridge;

Thence N 39° 30' W., 100 meters to Corner 4, Apanang tree 25 cms. in diameter, on top of Tanaoan Ridge;

Thence N 34° W., 350 meters to Corner 5, Catnon tree 25 cms. in diameter, on top of Tanaoan ridge;

Thence N 37° W, 470 meters to Corner 6, Malabunga tree 30 cms. in diameter, on top of Tanaoan ridge;

Thence N 48° 30' W, 500 meters to Corner 7, Misc. Sp. tree 25 cms. in diameter, on top of Tanaoan ridge;

Thence N 44 30' W, 180 meters to Corner 8, Catnon tree 20 cms. in diameter, on top of Tanaoan ridge;

Thence N 35° 30' W, 500 meters to Corner 9, Misc. Sp. tree 30 cms. in diameter, on top of Tanaoan ridge;

Thence Due North, 230 meters to Corner 10, Dalingdigan tree 30 cms. in diameter, on top of Tanaoan ridge;

Thence N 20° E, 440 meters to Corner 11, Rock 1 x 1 x 2 meters, on top of high ridge;

Thence N 49° E, 450 meters to Corner 12, Misc. Sp. tree 40 cms. in diameter, on top of high ridge;

Thence N 30° E, 400 meters to Corner 13, Balobo tree 30 cms. in diameter, on top of high ridge;

Thence Due East, 940 meters to Corner 14, point on top of ridge;

Thence N 75° 30' E, 880 meters to Corner 15, Apanang tree 30 cms. in diameter, on top of Sapletan Mt.;

Thence N 33° E, 150 meters to Corner 16, Tanguan tree 60 cms. in diameter, on slope of ridge;

Thence S 12° E, 540 meters to Corner 17, Toog tree 65 cms. in diameter, at the edge of old clearing;

Thence S 26° E, 420 meters to Corner 18, Coconut tree, on outline;

Thence N 86° E, 600 meters to Corner 19, Hawile tree 20 cms. in diameter, on outline;

Thence N 75° 30' E, 180 meters to Corner 20, Toog tree 100 cms. in diameter, identical to Corner 472, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 5° E, 280 meters to Corner 21, Toog tree 120 cms. in diameter, identical to Corner 471, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 44° E, 260 meters to Corner 22, Narra tree 30 cms. in diameter, identical to Corner 470, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 32° E, 190 meters to Corner 23, Dao tree 150 cms. in diameter, identical to Corner 469, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 9° E, 280 meters to Corner 24, Ilang-Ilang tree 40 cms. in diameter, identical to Corner 468, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 15° E, 210 meters to Corner 25, Toog tree 140 cms. in diameter, identical to Corner 467, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 38° E, 190 meters to Corner 26, Salingcogan tree 60 cms. in diameter, identical to Corner 466, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence N 78° E, 200 meters to Corner 27, Aachiong tree 15 cms. in diameter, identical to Corner 465, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 65° E, 260 meters to Corner 28, Bagtikan tree 40 cms. in diameter, identical to Corner 464, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 21° E, 360 meters to Corner 29, Anabiong tree 20 cms. in diameter, identical to Corner 463, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 13° W, 120 meters to Corner 30, Toog tree 120 cms. in diameter, identical to Corner 462, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 23° E, 260 meters to Corner 31, Anubing tree 30 cms. in diameter, identical to Corner 461, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 44° E, 260 meters to Corner 32, Toog tree 150 cms. in diameter, identical to Corner 460, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 30° E, 240 meters to Corner 33, Toog tree 100 cms. in diameter, identical to Corner 459, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 54° E, 320 meters to corner 34, Toog tree 120 cms. in diameter, identical to Corner 458, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 39° E, 240 meters to Corner 35, Sasalit tree 30 cms. in diameter, identical to Corner 457, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 2° E, 380 meters to Corner 36, Toog tree 100 cms. in diameter, identical to Corner 456, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 12° E, 290 meters to Corner 37, Taluto tree 25 cms. in diameter, identical to Corner 455, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 55° E, 200 meters to Corner 38, Sasalit tree 60 cms. in diameter, identical to Corner 454, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence Due East, 300 meters to Corner 39, Toog tree 130 cms. in diameter, identical to Corner 453, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 37° E, 200 meters to Corner 40, Taluto tree 50 cms. in diameter, identical to Corner 452, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 25° E, 200 meters to Corner 41, Dao tree 80 cms. in diameter, identical to Corner 451, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 42° E, 200 meters to Corner 42; Toog tree 120 cms. in diameter, identical to Corner 450, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 19° E, 340 meters to Corner 43, Toog tree 100 cms. in diameter, identical to Corner 449, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 4° E, 350 meters to Corner 44, Toog tree 120 cms. in diameter, identical to Corner 448, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 6° E, 350 meters to Corner 45, Kangko tree 100 cms. in diameter, identical to Corner 447, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 18° E, 440 meters to Corner 46, Narang tree 60 cms. in diameter, identical to Corner 446, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 22° E, 350 meters to Corner 47, Ketop tree 60 cms. in diameter, identical to Corner 445, Alienable or Disposable Block I, Samar Land Classification Project No. 46;

Thence S 30° W, 480 meters to Corner 48, point on side of trail;

Thence following trail in a general southwesterly direction about 440 meters to Corner 49, point on top of ridge;

Thence N $13^{\circ} 30'$ W, 1100 meters to Corner 50, point on top of ridge;

Thence N 35° W, 1450 meters to Corner 51, point on top of ridge;

Thence N $6^{\circ} 30'$ W, 460 meters to Corner 52, Guijo tree 30 cms. in diameter, on top of high ridge;

Thence N $57^{\circ} 30'$ W, 350 meters to Corner 53, Mayapis tree 60 cms. in diameter, on top of ridge;

Thence N $32^{\circ} 30'$ W, 400 meters to Corner 54, White Laurel tree 80 cms. in diameter, on top of ridge;

Thence S 63° W, 700 meters to Corner 55, White Laurel tree 25 cms. in diameter, on top of ridge;

Thence N $15^{\circ} 30'$ W, 720 meters to Corner 56, Tanguile tree 35 cms. in diameter, on top of Tancoan ridge;

Thence N 2° E, 230 meters to Corner 57, Misc. Sp. tree 35 cms. in diameter, on top of Tancoan ridge;

Thence N 9° W, 520 meters to Corner 58, Tanguile tree 100 cms. in diameter, on top of Tancoan ridge;

Thence N 27° W, 300 meters to Corner 59, Tanguile tree 40 cms. in diameter, on top of Tancoan ridge;

Thence N 55° W, 330 meters to Corner 60, Misc. Sp. tree 80 cms. in diameter, on top of Tancoan ridge;

Thence N $21^{\circ} 30'$ W, 260 meters to Corner 1 the point of beginning, containing an area TWO THOUSAND SEVEN HUNDRED (2700) HECTARES, more or less.

PARCEL II

Beginning at point marked "1" on Parcel III, B.P. Map No. WR-11, Toog tree 30 cms. in diameter located on top of ridge;

Thence following ridge in a general northwesterly direction about 1870 meters to Corner 2, point on top of ridge;

Thence following ridge in a general northwesterly direction about 750 meters to Corner 3, Apitong tree 60 cms. in diameter, on top of ridge;

Thence following ridge in a general northeasterly and northwesterly directions about 1630 meters to Corner 4, point on top of ridge;

Thence following ridge in a general northeasterly and northwesterly directions about 1150 meters to Corner 5, point on top of ridge;

Thence N 50° E, 360 meters to Corner 6, point on top of ridge;

Thence following ridge in a general northeasterly direction 1920 meters to Corner 7, point on top of ridge;

Thence N 46° 30' E, 1000 meters to Corner 8, point on top of ridge;

Thence N 76° E, 1020 meters to Corner 9, point on top of ridge;

Thence S 60° E, 2100 meters to Corner 10, point on top of ridge;

Thence S 27° 30' W, 1300 meters to Corner 11, point on top of ridge;

Thence S 31° 30' W, 870 meters to Corner 12, point on top of ridge;

Thence S 5° 30' W, 540 meters to Corner 13, point on top of ridge;

Thence S 4° 30' W, 1120 meters to Corner 14, point on top of ridge;

Thence S 2° W, 820 meters to Corner 15, point on top of ridge;

Thence S $14^{\circ} 30'$ E, 1000 meters to Corner 16, point on top of ridge;

Thence S $66^{\circ} 30'$ W, 870 meters to Corner 17, point on top of ridge;

Thence S $63^{\circ} 0'$ W, 240 meters to Corner 18, Tagop tree 50 cms. in diameter, on bank of creek;

Thence S $86^{\circ} 0'$ W, 140 meters to Corner 19, White Larch tree 40 cms. in diameter, on side of trail;

Thence N $86^{\circ} 30'$ W, 200 meters to Corner 20, Durian tree 40 cms. in diameter, on side of trail;

Thence S $69^{\circ} 30'$ W, 180 meters to Corner 21, Tagop tree 20 cms. in diameter, junction of creeks;

Thence S $84^{\circ} 0'$ W, 270 meters to Corner 22, Coconut tree, edge of clearing;

Thence N $35^{\circ} 30'$ W, 190 meters to Corner 23, Tagop tree 50 cms. in diameter, on bank of creek;

Thence N $36^{\circ} 30'$ W, 160 meters to Corner 24, Tagop tree 50 cms. in diameter, edge of cultivation;

Thence N $28^{\circ} 30'$ E, 200 meters to Corner 25, Tagop tree 50 cms. in diameter, edge of cultivation;

Thence Due North, 190 meters to Corner 26, Antipolo tree 40 cms. in diameter, edge of cultivation;

Thence N $15^{\circ} 30'$ W, 180 meters to Corner 27, Almon tree 100 cms. in diameter, on bank of creek;

Thence N $5^{\circ} 30'$ W, 90 meters to Corner 28, Tagop tree 30 cms. in diameter, on bank of creek;

Thence N $31^{\circ} 30'$ E, 210 meters to Corner 29, Tagop tree 100 cms. in diameter, edge of cultivation;

Thence N $67^{\circ} 30'$ W, 120 meters to Corner 30, Tagop tree 50 cms. in diameter, on bank of creek;

Thence S $69^{\circ} 30'$ W, 160 meters to Corner 31, Tagop tree 50 cms. in diameter, on bank of creek;

Thence N $70^{\circ} 30'$ W, 290 meters to Corner 32, Narra tree 30 cms. in diameter, on bank of Hayiban River;

Thence following Hayiban River up stream in a general southwesterly direction, 340 meters to Corner 33, Talisay tree 20 cms. in diameter, east bank of Hayiban River;

Thence following Hayiban River up stream in a general northwesterly direction, 120 meters to Corner 34, Haginit tree 20 cms. in diameter, junction of creek and Hayiban River;

Thence following Hayiban River up stream in a general northwesterly and southwesterly directions 180 meters to Corner 35, Haginit tree 20 cms. in diameter, east bank of creek;

Thence S 57° E, 260 meters to Corner 36, Misc. Sp. tree 10 cms. in diameter, west bank of Hayiban River;

Thence S 70° E, 190 meters to Corner 37, Misc. Sp. tree 10 cms. in diameter, junction of Hayiban River and creek;

Thence following Hayiban River down stream in a general southeasterly and southwesterly directions 350 meters to Corner 38, Misc. Sp. tree 20 cms. in diameter junction of Hayiban River and creek;

Thence S 62° W, 160 meters to Corner 39, Toog tree 100 cms. in diameter, on bank of creek;

Thence S 28° W, 180 meters to Corner 40, Toog Tree 50 cms. in diameter, on top of ridge;

Thence S 33° E, 180 meters to Corner 41, Narra tree 40 cms. in diameter, on junction of Hayiban River and creek;

Thence following Hayiban River down stream in a general southeasterly direction 200 meters to Corner 42, Misc. Sp. tree 10 cms. in diameter, on junction of Hayiban River and creek;

Thence following Hayiban River down stream in a general southwesterly direction 230 meters to Corner 43, Misc. Sp. 20 cms. in diameter, on junction of Hayiban River and creek;

Thence S $74^{\circ} 30'$ W., 130 meters to Corner 44, Toog tree 50 cms. in diameter, edge of cultivation;

Thence S 75° W, 260 meters to Corner 45, White Luan tree 100 cms. in diameter, edge of clearing;

Thence S $71^{\circ} 30'$ W, 520 meters to Corner 1, the point of beginning containing an area of FIVE THOUSAND ONE HUNDRED THIRTY TWO (5132) HECTARES, more or less.

IN WITNESS WHEREOF, I have hereunto set my hand and caused the seal of the Republic of the Philippines to be affixed.

Done in the City of Manila, this 15th day of December, in the year of Our Lord, nineteen hundred and sixty-seven.

(SGD.) FERDINAND E. MARCOS
President of the Philippines

By the President:

(SGD.) RAFAEL M. SALAS
Executive Secretary